

# ID-only Information Disclosure Requirements Quality Information Templates for Schedule 20

Regulated Provider

Disclosure Date

Disclosure Month (month ended)

Enable Networks Limited

30 November 2024

31 March 2024

Templates for Schedules 20
Template Version 3. Prepared April 2024

#### **Workbook Version History**

Workbook Version and Date	Determination
v1, 30 November 2021	Fibre ID Determination 2021 [2021] NZCC 24
v2, 28 July 2022	Fibre ID Amendment Determination 2022 [2022] NZCC 26
v3, 3 April 2024	Fibre ID (Non-material) Amendment Determination [2024] NZCC 4

# **SCHEDULE 20: REPORT ON QUALITY FOR ID**

20(i): Provisioning

Section	Row	Category1  POI area	Category2  Service layer	Category3	Total connections provisioned	Median Provisioning time  Days	Number met agreed date	Percentage met agreed date	Percentage of simple new connection orders that took ≥ 50 calendar days	Percentage of complex new connection orders that took ≥ 120 calendar days
20(i): Provisioning	4 Chris	tchurch	Layer 1	Simple New Connection	-	-	-		0.00%	
20(i): Provisioning	5 Chris	tchurch	Layer 1	Complex New Connection	-	-	-			0.00%
20(i): Provisioning	6 Chris	tchurch	Layer 1	Transport Services	-	-	-			
20(i): Provisioning	7 Chris	tchurch	Layer 2	Intact (remote activation)	1,524	2	1,503	98.62%		
20(i): Provisioning	8 Chris	tchurch	Layer 2	Intact (truck roll required)	118	10	113	95.76%		
20(i): Provisioning	9 Chris	tchurch	Layer 2	Simple New Connection	488	24	468	95.90%	15.37%	
20(i): Provisioning	10 Chris	tchurch	Layer 2	Complex New Connection	174	29	165	94.83%		14.94%
20(i): Provisioning	11 Chris	tchurch	Layer 2	Transport Services	-	-	-			

20(ii): Faults

Section	Row	Category1  POI area	Category2  Fault type	Category3  Fault cause	Number of faults	Faults per 100 connections	Percentage of regulated provider faults that met expected restoration time	Percentage of regulated provider faults not restored within 2 calendar days
20(ii): Faults	4 Cl	nristchurch	Regulated Provider Faults	Layer 1	306	0.1965	99.02%	1.96%
20(ii): Faults	5 Cl	nristchurch	Regulated Provider Faults	Layer 2	-	0.0000	100%	0%
20(ii): Faults	6 Cl	nristchurch	Regulated Provider Faults	ONT	39	0.0250	100.00%	0.00%
20(ii): Faults	7 Cl	nristchurch	Non Regulated Provider Faults	No fault found	22			

20(iii): Availability

Section	Category1  Row POI area	Category2	Average downtime   Average number of connections	Average downtime   Unplanned downtime	Average downtime   Unplanned downtime attributable to force majeure events	Average downtime  Planned downtime	Average downtime   Average unplanned downtime	Average downtime   Average unplanned downtime excluding force majeure events	Notification of outages by layer   Percentage of notified planned outages	Notification of outages by layer  Percentage of notified unplanned outages
20(iii): Availability	4 Christchurch	Layer 1	155,749	537,352		101,643	3.45	3.45	100.00%	97.06%
20(iii): Availability	5 Christchurch	Layer 2	154,211	19,056	-	-	0.12	0.12	100.00%	100%

20(iv): Performance

Section	on Row Category1 Category2		Traffic performance   Number of active OLT reference probes	Traffic performance   Number of 5-minute samples	Traffic performance   Textual report on significant changes or network events
20(iv): Performance	4 National	Traffic performance measures	62		553,536 Leeston OLT added to the network 5th March

## 20(iv): Performance

Section	Row	Category1	Category2	Traffic performance   Number of traffic performance exceedances of the threshold	Traffic performance   Percentage of traffic performance exceedances of the threshold
20(iv): Performance	9 Nationa	I	High priority traffic Frame delay ≤5mS	<del>-</del>	0.0000%
20(iv): Performance	10 Nationa	I	High priority traffic Frame delay variation ≤3mS	-	0.0000%
20(iv): Performance	11 Nationa	I	High priority traffic frame loss ratio   ≤0.1%	228	0.0412%
20(iv): Performance	12 Nationa	l	Low priority traffic frame loss ratio  ≤2%	36	0.0065%

## 20(iv): Performance

Section	Row	Category1  POI area	Category2	Port performance  Percentage of ports
20(iv): Performance	17 H	lornby	Port utilisation   ≤70% threshold	100.0000%
20(iv): Performance	18 H	lornby	Port utilisation ≥90% threshold	0.0000%
20(iv): Performance	19 H	lornby	Port utilisation ≥95% threshold	0.0000%
20(iv): Performance	20 R	Riccarton	Port utilisation ≤70% threshold	100.0000%
20(iv): Performance	21 R	Riccarton	Port utilisation ≥90% threshold	0.0000%
20(iv): Performance	22 R	Riccarton	Port utilisation ≥95% threshold	0.0000%

20(v): Cust. Service

Section	Row	Category1	Category2	End-user survey results (quarterly)  Number surveyed	End-user survey results (quarterly)  Average score
20(v): Cust. Service	4 Installation quality satisfaction			61	8.4
20(v): Cust. Service	5 Installation process satifaction			63	7.8
20(v): Cust. Service	6 Fibre l	proadband performance satisfaction		60	8.3

# 20(v): Cust. Service

Section	Row	Category1	Category2	Missed provisioning appointments   Number of appointments	Missed provisioning appointments   Number of provisioning appointments missed
20(v): Cust. Service	11 Instal	ation quality satisfaction		892	32